



Take the Lead




Ice Cube Machines

Under Counter
Modular
Storage Bin
Flake & Nugget
Snow Flake
Dispenser



The Story of Ice Maestro, providing Cool Happiness !!

UNDER COUNTER /Self-Contained



IU-0070

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IU-0070-AB	26	15 x 26 x 34	104	GOURMET
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	11.12	60 lbs	48 lbs



WC-0070

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
WC-0070-AB	29	16 x 18 x 31	85	GOURMET
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	11.21	70 lbs	57.32 lbs



WU-0100

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
WU-0100-AC	27	21 x 23 x 34	112	CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	9.39	105 lbs	74 lbs



IU-0170 / 0220


MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IU-0170 / 0220-AC	77	26 x 28 x 38	148 / 154	CUBE
IU-0170 / 0220-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	8.55	175 lbs	140 lbs
			202 lbs	150 lbs



IC-0220

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IC-0220-AC	133	26 x 28 x 44	165	CUBE
IC-0220-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	8.55	202 lbs	150 lbs

MODULAR



WM-0460-22

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT(NET)	ICE SHAPE
	lbs	inch	lbs	
WM-0460-AC-22	Storage Bin Option IB-026-22	22 x 24 x 22	155	CUBE
WM-0460-AH-22				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	6.03	436 lbs	311 lbs



WM-0460

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT(NET)	ICE SHAPE
	lbs	inch	lbs	
WM-0460-AC	Storage Bin Option IB-033 / IB-044	30 x 24 x 23	141	CUBE
WM-0460-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	6.34	446 lbs	333 lbs



WM-0680



MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT(NET)	ICE SHAPE
	lbs	inch	lbs	
WM-0680-AC	Storage Bin Option IB-033 / IB-044	30 x 24 x 23	185	CUBE
WM-0680-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	208-230 V/60 Hz/1 Ph	5.83	666 lbs	486 lbs



WM-1100

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT(NET)	ICE SHAPE
	lbs	inch	lbs	
WM-1100-AC	Storage Bin Option IB-044	30 x 25 x 30	243	CUBE
WM-1100-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	208-230 V/60 Hz/1 Ph	5.11	1082 lbs	772 lbs

MODULAR



NEW



IM-0350-22

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IM-0350-AC-22	Storage Bin Option IB-026-22	22 x 24.8 x 22.6	138.9	CUBE
IM-0350-AH-22				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	6.27	394 lbs	311 lbs

NEW



IM-0350

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IM-0350-AC	Storage Bin Option IB-033 / IB-044	30 x 24.8 x 22.6	152.1	CUBE
IM-0350-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	6.25	367 lbs	292 lbs

NEW



IM-0460-22

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IM-0460-AC-22	Storage Bin Option IB-026-22 / IB-033 / IB-044	22 x 24.8 x 22.6	143.3	CUBE
IM-0460-AH-22				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	6.21	443 lbs	327 lbs

NEW



IM-0460

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IM-0460-AC	Storage Bin Option IB-033 / IB-044	30 x 24.8 x 22.6	162.3	CUBE
IM-0460-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	5.43	465 lbs	364 lbs


NEW



IM-0550-22

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IM-0550-AC-22	Storage Bin Option IB-026-22 / IB-033 / IB-044	22 x 24.8 x 22.6	143.3	CUBE
IM-0550-AH-22				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	6.08	508 lbs	383 lbs

MODULAR



NEW



IM-0550

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IM-0550-AC	Storage Bin Option IB-033 / IB-044	30 x 24.8 x 22.6	162.3	CUBE
IM-0550-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	5.91	551 lbs	399 lbs

NEW



IM-0680

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IM-0680-AC	Storage Bin Option IB-033 / IB-044	30 x 24.8 x 22.6	185.2	CUBE
IM-0680-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	208~230 V/60 Hz/1 Ph	5.59	737 lbs	575 lbs

NEW



IM-1100

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT (NET)	ICE SHAPE
	lbs	inch	lbs	
IM-1100-AC	Storage Bin Option IB-044	30 x 24.8 x 30.3	231.5	CUBE
IM-1100-AH				HALF CUBE
CONDENSER	ELECTRICAL	kWh / 100 lbs ice	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	208~230 V/60 Hz/1 Ph	4.99	1106 lbs	873 lbs

STORAGE BIN

IB-026-22



MODEL	APPLICABLE	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT
		lbs	inch	lbs
IB-026-22	WM-0460-22 IM-0350-22 IM-0460-22 IM-0550-22 IM-0770	265	22 x 34 x 38 (Without legs)	99

IB-033



MODEL	APPLICABLE	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT
		lbs	inch	lbs
IB-033	WM-0460 WM-0680 IM-0350 IM-0460 IM-0550 IM-0680 IM-0770	350	30 x 34 x 38 (Without legs)	121

IB-044




MODEL	APPLICABLE	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT
		lbs	inch	lbs
IB-044	WM-0460 / WM-0680 / WM-1100 IM-0350 / IM-0460 IM-0550 / IM-0680 / IM-1100 IM-0770	440	30 x 34 x 46 (Without legs)	143

FLAKE & NUGGET

- ✓ 22" SLIM DESIGN
- ✓ ADOPTED SLEEVE BEARING FOR HYGIENE IMPROVEMENT



FLAKE



NUGGET



FLAKE CUTTER



FLAKE EXTRUDING HEAD



NUGGET CUTTER



NUGGET EXTRUDING HEAD



AUGER

IM-0770

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)		WEIGHT (NET)
		inch		lbs
IM-0770-AF / AN	Storage Bin Option IB-026-22, IB-033, IB-044	22 x 25 x 26		174
CONDENSER	ELECTRICAL		ICE SHAPE	
Air Cooled	115V/60Hz/1Ph		FLAKE	NUGGET
	Air / Water 70°F / 50°F		Air / Water 90°F / 70°F	
	736 lbs – FLAKE 708 lbs – NUGGET		639 lbs – FLAKE 635 lbs – NUGGET	

SNOW FLAKE

- ✓ ADOPTED THE FREEZE CYCLE APPLIED ON SOFT ICE CREAM FREEZER
- ✓ BEST DESIGN FOR HYGIENE IMPROVEMENT & EASY MAINTENANCE
- ✓ WORLD STANDARD OF SNOW FLAKE ICE MACHINE



IS-0700-AS

MODEL	PRODUCTION CAPACITY (MILK)	PRODUCTION CAPACITY (WATER)	STORAGE CAPACITY	DIMENSION (WxDxH)	
	lbs	lbs	gal	inch	
IS-0700-AS	1091	705	14	21 x 30 x 56	
CONDENSER	ELECTRICAL	POWER CONSUMPTION	WEIGHT	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	208~230 V/60 Hz/1 Ph	1980 W (Max)	309 lbs	705 lbs	633 lbs

DISPENSER ICE MACHINE

NEW



ID-0300-AN




Top air dispensing

THREE MODES available:
Ice / Water / Ice & Water
- selectable touch buttons



No hand touch dispensing



Swing front door
- Easy maintenance

ID-0300-AN

MODEL	STORAGE CAPACITY		DIMENSION (WxDxH)		WEIGHT		ICE SHAPE
	kg	lbs	mm	inch	kg	lbs	
ID-0300-AN	5	11	421 x 635 x 710 (w/o legs)	16.5 x 25 x 28 (w/o legs)	65	143	NUGGET
CONDENSER	ELECTRICAL	POWER CONSUMPTION	Air / Water 21°C(70°F) / 10°C(50°F)		Air / Water 32°C(90°F) / 21°C(70°F)		
Air Cooled	115V/60Hz/1Ph	670W	282 lbs		216 lbs		

※ Design and Specification are subject to change without notice.



A BRAND THAT STANDS FOR QUALITY AND VALUE

The ICETRO team is committed to providing high-performance frozen food equipment products not only to satisfy our customers' need but add value to the equipment investment.

ICETRO America strives to build long-lasting high-quality products that deliver the best value in creating COOL HAPPINESS to our valuable customers.

We aim to continue as the leading provider of high-quality frozen food equipment through continuous improvements in SIMPLICITY of design, product RELIABILITY & LONGEVITY, and superior PERFORMANCE.

-  SIMPLICITY
-  RELIABILITY
-  LONGEVITY
-  PERFORMANCE



1565 West Broadway, Anaheim, CA 92802

Tel: (714) 215 - 4864
Website: www.icetroamerica.com
E-mail: icetro@icetroamerica.com

Distributed by :